Vol.04 No.5

The pyrexia temperature never damages the cells of the brain or harm the body

K. M. Yacob

Marma Health Centre, India

Abstract: All treatments for fever are based on the belief that fits is the result of 41 degrees Celsius temperature and it damages cells of the brain and body. At the same time, there is no evidence-based tests or concrete diagnosing methods to the belief that fits and brain damage is the result of pyrexia [1].

Necessary ingredients to destroy brain cells and fits cannot be seen in fever. In pyrexia or absence of fever, a fainted the patient fell on the floor with unconscious state and destroy cells of the brain, and necessary ingredients to become conscious are the same. When disease increases essential blood circulation and energy level also decreases. The vertical height between the heart and brain is more than one foot. When the disease becomes severe, the ability to pump the blood to the brain decreases. As a result of this brain cells are damaged. so the patient might be paralyzed or may even die.

In pyrexia or absence of fever, when blood flow to the brain decreases and fits are formed. There is no other way than this to increase blood circulation to the brain. It is a sensible and discreet action of the brain to protect the life or organ.

Recovery from Fits.

The patient becomes conscious before the time to get decreasing the temperature of fever. When the fainted patient lie on the floor, the vertical height between the heart and brain is decreased, blood circulation increased to the brain.

Self-checking methods.

When the fainted patient lie on the floor, The patient can stand straight and lie on bed alternatively. Then the patient can experience himself the intensity of 'blood circulation. The patient can experience when



he stands his blood circulation decreases and when lying on the bed the blood circulation decreases. Besides that, he can also experience increased blood Circulation when lie on the bed raise the foot higher than the head.

Keywords: destroy brain cells, essential blood circulation, Protective covering, energy, vertical height, sensible and discreet action of brain



Biography:

A practicing physician in the field of healthcare in the state of Kerala in India for the last 30 years and very much interested in basic research. My interest is spread across the fever, inflammation and back pain. I am a writer. I already printed and published nine books on these subjects. I wrote hundreds of articles in various magazines.

After scientific studies, we have developed 8000 affirmative cross checking questions. It can explain all queries related to fever

Speaker Publications:

ISSN ISSN 2576-1412 Journal of Applied Microbiology and Biochemistry Volume04, Issue 05

Vol.04 No.5

1. Nelson Text book of Pediatrics 20th edition

- 2.R.S.Satoskar, S.D.Bhandarkar, Nirmala N.Rege-Pharmacology and pharmacotherapeutics –Revised XIV edition, p.159, 160, 163, 170). "Our understanding of the neural basis of thermoregulation and fever is still rudimentary. In fever, the thermostatic mechanism is set at a higher level even though it is not completely deranged. The role of fever in the defense reaction is not clear.
- 3.Berman's Pediatric Decision Making (5th edition) 2011.
- 4.Davidsons Principles and practice of medicine 22Ed.
- 5.Guyton and Hall,Text book of Medical Physiology-11th edition
- 6. Allen R myres,MD National Medical Series For Independent Study-nms Medicine 4th edition,

4th International Conference on Medical & Clinical Microbiology June 09-10, 2020

Abstract Citation:

The pyrexia temperature never damages the cells of the brain or harm the body 4th International Conference on Medical & Clinical Microbiology June 09-10, 2020