

Ethno-Veterinary Treatment of Livestock and Poultry by Ethnic Community of Dhemaji District, Assam, India

Citumoni Gogoi,
Mridusmita Bora

Department of Zoology, Moridhal College,

Dhemaji-787057, Assam, India

Department of Botany, Gauhati University,

Guwahati-781014, Assam, India

Abstract

Livestock and poultry are considered as one of the sources of income for the rural household which need proper care for their livelihood. To safeguard the livestock and poultry from various health related problems, ethno-veterinary practices, the indigenous healing system is the cheapest and easily available natural resources around them. Traditional animal health care practices are mostly from their experiences or passed on from one to another verbally. Various research on ethno-veterinary is carried out time to time to conserve the rich tradition. The present study was carried in randomly selected villages of Dhemaji district. Field study was conducted among the small household local inhabitant of the selected areas who mostly depend on the livestock and poultry farming for socio-economic development, by performing personal interview, semi-structured questionnaire and recorded about 36 plant species having medicinal value belonging to 34 genus and 31 families, which are used for treating 22 ailments in livestock. Leaves, stems, fruits, bulb, roots, seeds, rhizomes, bark and peel of plant species are used in treating different ailments of livestock. Leaves (48%) are mostly used in preparing medicine among the other plant parts. Among the family recorded in the study 3 plant species belongs to *solanaceae*, followed by *lamiaceae*. Ethno-Veterinary gives a scope for the pharmaceutical field to discover the bioactive compound present in the plant species for future scientific medical treatment. Proper documentation of the old practice of ethno-veterinary provides information of the various medicinal plants available around us which are on the verge of extinction due to the negligence by the younger generation and emphasises sustainable use of these resources in our ecosystem.

Keywords: Wild plants; Nutrition; Food security; Ethnic communities; Subsistence; Edible

*Corresponding author:

Citumoni Gogoi, Department of Zoology,
Moridhal College, Dhemaji-787057, Assam,
India, Tel: 09954018299

✉ citu123gogoi@gmail.com

Citation: Gogoi C, Bora M (2021) Ethno-Veterinary Treatment of Livestock and Poultry by Ethnic Community of Dhemaji District, Assam, India. Am J Ethnomed Vol. 8 No.4:4.

Received: May 05, 2021; **Accepted:** May 20, 2021; **Published:** May 27, 2021

Introduction

Indigenous knowledge of ethno-veterinary medicine uses for curing different ailments of animal and birds is an old practice since time immemorial. Ethno-veterinary system is based on folklore, beliefs, knowledge wisdom and their skill of handling the medicinal plant species acquired by the local livestock holders. Ethno-veterinary practices are sometimes experimental methods developed by the local herdsman. Rural dwellers depend on livestock for livelihood, economic security, food and therefore it is an utmost necessity to take help of cheap, easily accessed, safe local resources which are tested for long time on the animals.

Ethno-veterinary medicine and its importance has been identified by ethnic groups long ago. It is used effectively for primary health care treatment of the animals for health and productivity which provide an alternative to expensive drugs available in the market. It is also reported that though classical system of treating ailment is familiar to all over the country, yet these systems are known to few individual. Ethno-veterinary serves as alternative of conventional medicines for preventing ailments and use of medicinal plant in ethno-veterinary is one of the integral parts which have broad spectrum and seen to be used in treating many ailments.

Mention may be done of veterinary practices prevailing from the Vedic period where Hindu Vedas, Puranas and ancient books has mentioned the vast treasure of plant species used in the alleviating animal health problems .

India is rich in both floral and faunal diversity and has a huge wealth of livestock [6]. India is one of the world's 12 mega diversity country and account for 8% of global plant resources. It is reported that 35,000 species of plant are known to have healing properties. 75% of world population depends on medicinal plants [7]. According to a report of WHO, 80% of people in developing countries reckon on traditional knowledge for curing various ailments of both human and animals.

Being a developing country, 80% of poor population depends on agriculture. Animal rearing is gaining importance and every rural household is seen to be a part of it [3]. Livestock has contributed to the development of socio-economic development of rural household and to the industrial sector with its by-products. 70% of rural household in India owns livestock are poor landless household who prefer animal rearing due to low initial investment. On the other hand, livestock provides a variety of food (meat, milk, eggs etc) and non-food products (wool, fur, fibres, skins, organic manures etc) and contributes nearly 25% to the gross value of agricultural output. Import and export of livestock has also got important share on economic upliftment of the country [8]. Not only plants have got medicinal property, but also animal equally have ethno-veterinary medicinal properties, however this use have been neglected in comparison to medicinal plant research [9]. It is indispensable to identify and document the medicinal plant used by the farmers with the aim on maintaining the cultural practice.

Methodology

Study area

Dhemaji district is one of the remote rural districts of the state which is situated on the north bank of river Brahmaputra. Geographically situated between 94°12' 18" E and 95°41'32" E longitude and 27°05'27" N and 27°57'16" N latitude and covers a distance of 3237 sq.km. Many ethnic groups of people inhabit the district- Ahoms, Kalitas, Tiwa, Boro, Misings, Kacharis, Hajong, Deoris etc. All are knowledgeable about the use of traditional herbal medicines to treat their livestock health related. Agriculture is the main economy of the people, but side by side animal rearing is also one of the occupations of the district and plays a vital role in socio-economic development of the rural areas. Frequent flood related problems stand as a barrier to the economic development of the district. As per the 19th livestock census 2012 there were total cattle population-4,69,219, Buffaloes-21,635, Goats-143,154, Pigs-132,427, Fowl-604,542 and Duck-224774 nos.

Data collection

A field survey was conducted randomly in ten villages (Sripani ahom gaon, Morol gaon, khalihamari gaon, kashoiting gaon,

khajua, Ramyapur, Amguri, Jiadhool, Naharani gaon, Naruathan) of Dhemaji district by performing semi-structured interviews, group discussion and free conversation was conducted with the local animal rearers for gathering ethno-veterinary knowledges. During the interview period well, knowledgeable people were chosen, and photographs of the animal diseases and plant species were shown to them so that no confusion remains. Mostly the elders were observed to have the knowledge of the traditional knowledge irrespective of the gender. It was observed during the study, the animal holders were low income, uneducated simple living people. Simple questions were asked regarding the animal they rear, health related problems of the animals, healing practice with the help of plant species, mode of preparation of the medicinal doses. Information about the part of the plant used as medicine, vernacular name of the species, and seasonal availability of the particular species were recorded. They have also informed the traditional healing practice was acquired either by seeing or verbally from their forefathers or learned by experiments. They mostly prefer home remedies rather than going to the veterinary hospitals because of the distance related issues. Most of the village people have the same knowledge of ethno-veterinary as the remedies keep on circulating between them.

Present study is an attempt to document the medicinally important plant used to treat animal health related problems. Plant specimen were identified by using.

Results

In the present study a total of 36 plant species were identified for the treatment of 22 common ailments of livestock belonging to 34 genus and 31 families. Common ailments in livestock and poultry includes fever, dysentery, bloating, diarrhoea, galactogogue, anthrax, urine problem. shows that

the plant species found in the study, 3 belongs to *Solanaceae*, 2 belongs to *Lamiaceae*, *Rutaceae*, *Clusiaceae* and *Poaceae* and 1 plant species belongs to *Acanthaceae*, *Amaryllidaceae*, *Alliaceae*, *Apiaceae*, *Asphodelaceae*, *Asparagaceae*, *Asteraceae*, *Araceae*, *Brassicaceae*, *Caricaceae*, *Caryophyllaceae*, *Combretaceae*, *Convolvulaceae*, *Crassulaceae*, *Dilleniaceae*, *Fabaceae*, *Malvaceae*, *meliaceae*, *Moraceae*, *Musaceae*, *Oxalidaceae*, *Piperaceae*, *Rosaceae*, *Thelypteridaceae*, *Vitaceae*, *Zingiberaceae* according to the. *The use of leaves (48%)*

is mostly found in the treatment of animals and poultry health problems, followed by fruits of the plant species (21%), seeds (9%) rhizomes (6%), bulb, roots, stem (4%), barks and peel (2%) respectively. Most of the medicines are administered orally and topically to the animals. shows the health problems of the livestock, local and scientific name of the medicinal plants used for the treatment, parts of the plant used, family to which a plant species belongs and mode of preparation of the medicines to be administered. Oral administration (72%) of the medicines prepared traditionally to treat various health issues of the animal and poultry is higher than topical administration (28%).




Figure 1: Number of plant species under respective family.




Figure 2: Percentage of plant parts used in Ethno-Veterinary practice.




Figure 3: Percentage of mode of use.

Affected animal	Ailment	Botanical name of Plant species and local names	Family	Parts used	Mode of use
Cow and goat	Fever	<i>Brassica juncea</i> (L.) Czern. (Horiyoh)	<i>Brassicaceae</i>	Seed	<i>Brassica juncea</i> (L.) Czern. is crushed along with <i>Curcuma longa</i> L. powder and <i>Zingiber officinale</i> paste and the juice is given orally.
	Ruminal tympany	<i>Leucas aspera</i> (Wild.) Link. (Dron bon)	<i>Lamiaceae</i>	Leaves	An equal amount of leaves of <i>Leucas aspera</i> (Wild.) Link, tulsi, pepper, black cumin is crushed and fed orally.
		<i>Allium sativum</i> L. (Nohoru)	<i>Amaryllidaceae</i>	Bulb	A decoction is prepared with <i>Allium sativum</i> L. and salt and given orally
	Bone fracture	<i>Cissus Quadrangularis</i> L. (Har jura lota)	<i>Vitaceae</i>	Leaves	Leaves are crushed and the pasted is tied on the affected area.
		<i>Terminalia arjuna</i> (Roxb.) Wight & Arn. (Arjun gos)	<i>Combretaceae</i>	Bark	Bark of the tree is crushed, and a fine paste of <i>Allium sativum</i> L. is prepared with which is tied on the affected area.
	Wound	<i>Bryophyllum pinnatum</i> (Lam.) Oken (Dupor tenga)	<i>Crassulaceae</i>	Leaves	Crushed leaves paste is tied on the wound to stop bleeding.
	Fungus	<i>Azadirachta indica</i> A.Juss. (Neem)	<i>Meliaceae</i>	leaves	Juices of leaves are applied on the affected area.
		<i>Nicotiana tabacum</i> L. (Dhopat)	<i>Solanaceae</i>	Leaves	Paste of leaves of <i>Nicotiana tabacum</i> L., dried banana peel, and mustard oil is applied on the affected area.
	Worms on wound area	<i>Prunus persica</i> L. (Ahom bogori)	<i>Rosaceae</i>	leaves	Paste of crushed leaves applied on the affected area.
		<i>Allium sativum</i> L. (Nahoru)	<i>Amaryllidaceae</i>	Bulb	<i>Allium sativum</i> L. is crushed and applied.
	Blood dysentery	<i>Oxalis corniculata</i> L. (Tengesi)	<i>Oxalidaceae</i>	Leaves	Crushed leaves are fed.
		<i>Dillenia indica</i> L. (O tenga)	<i>Dilleniaceae</i>	Fruit	Fruit is boiled with rock salt and fed.
	Ticks and lice	<i>Nicotiana tabacum</i> L. (Dhopat)	<i>Solanaceae</i>	Leaves	Leaves are boiled and poured over body.
	Bloating	<i>Ficus religiosa</i> L. (Ahot gos)	<i>Moraceae</i>	Leaves	Leaves are crushed and to it garlic is mixed. The mixture is given to eat.
Dysentery	<i>Piper betle</i> L. (Pan)	<i>Piperaceae</i>	Leaves	Ripe <i>Piper betle</i> L. leaves and few <i>Cuminum cyminum</i> L. seed is crushed and fed.	
Pig	Fever	<i>Centella asiatica</i> (L.) Urban (Bor maninumi)	<i>Apiaceae</i>	Leaves	Leaves are crushed with <i>piper nigrum</i> L. and given to eat.
	Dysentery	<i>Lasia spinosa</i> (L.) Thwaites (Sengmora)	<i>Araceae</i>	Rhizome	Rhizome is crushed and fed.
		<i>Mikania micrantha kunth</i> (prem lota)	<i>Asteraceae</i>	Leaves	Leaves are crushed and fed.
		<i>Citrus limon</i> L. (kaji nemo)	<i>Rutaceae</i>	Fruit	Juices of the fruit given orally.
	Diarrhoea	<i>Garcinia morella</i> (Gaertn.) Desr. (kuji thekera)	<i>Clusiaceae</i>	Fruit	Crushed fruit is given to eat.
	Cough	<i>Ensete glaucum</i> (Roxb.) Cheesman (Bhim kaal)	<i>Musaceae</i>	Peel	Dried peel is burn and made to eat.
Worm problem	<i>Lasia spinosa</i> (L.) Thwaites (sengmora)	<i>Araceae</i>	Stem	Crushed stem is given orally.	
Goat	Diarrhoea	<i>Hibiscus sabdariffa</i> L. (Tengamora)	<i>Malvaceae</i>	Fruit	Fruit is burn and fed orally.
		<i>Garcinia xanthochymus</i> Hook.f. (Tepor tenga)	<i>Clusiaceae</i>	Fruit	Fruit is burn and given to eat.

(Poultry)Hen, Duck	Bone fracture	<i>Eleusine indica</i> (L.) Gaertn. (Bobosa bon)	<i>Poaceae</i>	Leaves	Crushed leaves are tied on the affected area.	Outpatient visits
	(Poultry)					Outpatient visits
	Diarrhoea	<i>Oryza sativa</i> L. (Chaul)	<i>Poaceae</i>	Seed	Fermented <i>Oryza sativa</i> L. is mixed with dried fish and fed.	
		<i>Leucas aspera</i> (Wild.) Link (Dron bon)	<i>Lamiaceae</i>	Leaves	Juice of the crushed leaves is mixed with <i>Citrus limon</i> (L.) Osbeck juice and given orally.	
	Fractured bone	<i>Eleusine indica</i> (L.) Gaertn. (Bobosa bon)	<i>Poaceae</i>	Leaves	Paste of the leaves is tied on the affected area.	
	Fever	<i>Mimosa pudica</i> L. (Nilaji bon)	<i>Fabaceae</i>	Roots	Roots is crushed and made to eat.	
		<i>Andrographis paniculata</i> (Burm.f.) Nees (Chirota)	<i>Acanthaceae</i>	Stem, Leaves	Leaves and stem are crushed and fed.	
		<i>Capsicum annuum</i> L (konjolokia)	<i>Solanaceae</i>	Fruit	Curcuma longa L. and weaver ant (<i>Oecophylla smaragdina</i>) is crushed and given as food.	
		<i>Centella asiatica</i> (L.) Urban (Bormanimuni)	<i>Apiaceae</i>	Leaves	Leaves are made to eat.	
	Eye problem (conjunctivitis)	<i>Curcuma longa</i> L. (Halodhi)	<i>Zingiberaceae</i>	Rhizomes	Powder Curcuma longa L. and mustard oil is mixed and applied on the affected area of the eye.	
Dysentery	<i>Citrus aurantiifolia</i> (Christm)Swing (Gul nemu)	<i>Rutaceae</i>	Fruit	Ripe fruit is mixed with rice and given to eat.		
Sluggishness	<i>Cyclosorus parasiticus</i> (L.) Farw. (Bihlongoni)	<i>Thelypteridaceae</i>	Leaves	Leaves are laid on the floor and made to rest.		
Cow, Goat, Buffalo (Satmul)	Galactagogue	<i>Asparagus racemosus wild.</i> (Satmul)	<i>Asparagaceae</i>	Roots	Crushed root is fed with milk.	
		<i>Ipomoea aquatic Forssk.</i> (Kolmou)	<i>Convolvulaceae</i>	Leaves	Ipomoea aquatic is mixed with <i>Amaranthus spinosus</i> L., ginger, sesame and fed.	
		<i>Carica papaya</i> L. (Amita)	<i>Caricaceae</i>	Fruit	Fruit is made to eat.	
Cow, Goat, pig, buffalo	Anthrax	<i>Aloe vera</i> (L.) burm.f. (salkuwari)	<i>Asphodelaceae</i>	Leaves	Leaves juice is fed.	
		<i>Ipomoea aquatic Forssk</i> (kolmou)	<i>Convolvulaceae</i>	Seed	Seed is crushed and mixed with water and given to eat.	
	Infection of throat	<i>Curcuma longa</i> L. (Halodhi)	<i>Zingiberaceae</i>	Rhizome	Rhizome is made into paste and is mixed with honey and lukewarm water and given to eat	
	Cataract	<i>Citrus aurantiifolia</i> (Christm.) Swingle (Gul nemo)	<i>Rutaceae</i>	Fruit	Juice is put on the corner of the affected eye.	
	Bloat	<i>Drymaria cordata</i> (L.) Willd.ex.Roem & Schult (Laijabori)	<i>Caryophyllaceae</i>	Leaves	Leaves are crushed and fed.	
	Urine problem	<i>Solanum melongena</i> L. (Begena)	<i>Solanaceae</i>	Leaves	Leaves are fed.	
	Weakness	<i>Azadirachta indica</i> A. Juss. (Neem)	<i>Meliaceae</i>	Leaves	Leaves are fed.	
		<i>Ocimum sanctum</i> L. (Tulsi)	<i>Lamiaceae</i>	seeds	Seeds are fed.	
<i>Ensete glaucum</i> (Roxb.) Cheesman (Bhim kol)		<i>Musaceae</i>	Fruit	Fruit is made to eat daily.		

Table 1: Plant species used in treatments of various ailments.

Discussion

Medicinal remedies are used solely or sometimes combine with other species to prepare the medicinal dose. In the present study, the herbal medicines are seen to be prepared by combining more than one plant species. Seeds of *Brassica juncea* crushed along with *Curcuma longa* powder and *Zingiber officinale* paste and the juice is given orally to treat fever in cow and goat. An equal number of leaves of *Leucas aspera*, tulsi, pepper, black cumin is crushed and fed orally for ruminal tympany in cow and goat. Bark of the *Terminalia arujuna* tree is crushed and a fine paste *Allium sativum* is prepared for treating bone fracture. Ripe Piper betel leaves and few seed of *Cuminum cyminum* is crushed together and fed treat dysentery in cow and goat. Leaves of *Centella asiatica* are crushed with piper nigrum and given to eat to cure fever in pig but in case of hen and duck only the leaves are crushed and given to eat. Leaves of *Ipomoea aquatic* is mixed with *Amaranthus spinosus*, ginger, sesame and fed to treat galactagogue in cow, goat and buffalo also the seed of the same plant species is used in treating anthrax in pig, cow, goat, buffaloes.

During the survey, observations are made of the use of one plant species for treating different ailments. Leaves of *Leucas aspera* is used to treat ruminal tympany in cow and goat as well treating diarrhoea in poultry (hen and duck). Fruit of *Citrus aurantifolia* is used for dysentery in hen and pigeon and even cataract in cow, goat, buffalo and pig. Rhizome of *Curcuma longa* is seen to be used for the eye problem in hen and pigeon and even to cure the throat infection in cow, goat, buffalo and pig. *Allium sativum* bulb is seen to be used in ruminal tympany in cow and goat as well as in treating worms on wounds. *Lasia spinosa* rhizome is used to cure dysentery in pig and the stem of the same plant species is used to treat worm problem in pig. The leaves of *Azadirachta indica* are given to cow, goat, pig, buffalo to remove weakness and the juices extracted from the same plant species are applied on the affected area to treat fungus on cow and goat. From the study it is found that the leaves of *Nicotiana tabacum* is used to treat fungus and tick problem in cow and goat.

Traditional healers use the plants parts in the form of paste, decoction, juices, and powdered form for the ailments. The study documented the use of weaver ant (*Oecophylla smaragdina*) along with the fruit of *Capsicum annuum* for treating fever in Hen and pigeon. Throat infection of cow, goat, buffalo, pig is cured when rhizome of *Curcuma longa* is mixed with honey. The study also documents the use of fermented *Oryza sativa* mixed with dried fishes to treat diarrhoea in hen and duck. Therefore, use of insects and fish along with the plant species is well observed.

Traditional healing practices by the ethnic community is prevalent in the rural low marginal income animal rearers. Use of leaves, roots, rhizomes, bulb, fruits, seeds, stem, bark of the plant are seen to be used in ethno-veterinary practices and is documented by many authors in their surveys. Use of plant in treating ailments in human is well explored but few studies have been reported regarding animals. A survey in Udaipur district has reported 62 plant species for the treatment of 30 diseases in domestic animals.

It is mentioned to use *Allium sativum* for weakness, foot and mouth disease, *Aloe vera* for burn and inflammation, *Azadirachta indica* for leucorrhoea, *Triticum aestivum* for galactagogue but same plant species are not found to cure the same ailment in the present study. Another study from western Morang district of Nepal has recorded the use of 37 plant species for 21 ailments. Modes of preparation, application of the medicine and ailments are an essential component in ethno-veterinary most common disease and the plant uses reported are *Dalbergia sisso* for diarrhoea, *Leucas aspera* for flatulence, *Asperagus racemosus* for milk production, *Allium sativum* for tail cut, *Brassica napus* for chronic cough. Most frequently used parts are seeds and fruits. Use of medicinal plants for the same ailments differs from place to place due to difference in knowledge, way of observing the ailments symptoms.

A report from the Cholistan desert has documented 77 ethno-veterinary practices comprising 49 plant uses and 25 dairy-based products, chemicals. A total of 18 plant species were documented belonging to 14 families for the treatment of parasitic diseases in the livestock. Livestock are the main source of livelihood and treasure for the remote dwellers. Ethno-veterinary curative measures prevailing among the tribes of Eastern Ghats has been reported with the use of 35 species for treating anthrax, ephemeral, fever, trypanosomiasis. Besides the use of herbs, shrubs, plant, use of *Hedyotis corymbosa* (Linn.), a weed has got medicinal property in curing animal health problem. Traditional healing practices is well documented with the use of 74 plant species for the treatment of rheumatism, fever, bloat, mouth disease, constipation, expulsion of placenta after birth etc by the local communities of the Porbandar district, who are well knowledgeable in handling the medicinal plant. A study conducted in Zimbabwe has documented use of 12 medicinal plant for major poultry health problem in respiration, external body parasite etc.

A use of 34 species of angiosperm belonging to 30 genera for treating various health related problem by the villagers of Puthalam, Cape Comorin of Tamil Nadu state. The use of leaves is reported to be used more than the other parts of the plant. Traditional knowledge of ethno-veterinary use is depended on availability of certain plant species in the particular season, favourable climatic condition of the area. Traditional healers classify the diseases on observing the signs and symptoms and accordingly treatment is provided. Cestodes and Nematodes are reported to be the dreadful parasites of ruminant livestock of developing countries. Ethno-veterinary practices are also reported in deworming preparation. The plant extracts are constituent of anti-microbial property which helps in improving the animal disease resisting capacity. The present study emphasises on the identification of the plant based medicinal treatments used in curing the health-related problems of livestock and will help in further phytochemical study on crude drugs.

Conclusion

Ethno-veterinary practice is unique from villages to villages which are passed on orally from one individual to another and remain

confined to them. Treating animal health related problem with traditional knowledge is due to inhibition of rural people in remote areas and their difficulties in reaching far-flung veterinary centres, making them unable to avail the modern medicinal treatment. They are obliged to depend on low cost, easily handle medicinal plant available in nearby dwelling areas. This study would keep the rich knowledge of treating ailments with the help of plants alive and further open a way for recognising the proper medicinal plant. It will also prevent destruction of the plant species due to anthropogenic activities and identify the traditional healers who treasure the use of ethno-veterinary practices among themselves. Conservation of plant species may give a chance for farming of medicinal plant and to be economically stable by selling the cultivated floral species, thus benefitting both the livestock and poultry holders and the plant cultivator. The present study also gives an opportunity for scientific studies on the chemical compound present in the medicinal plant and even may give a chance for alternative pharmaceutical drug production.

Acknowledgements

The authors are thankful to the local inhabitants, Village chiefs and the animal and poultry rearers for contributing their traditional knowledge.

References

- Ahmad S, Radotra S, Singh JP, Verma DK, Sultan SM (2017) Ethnoveterinary uses of some important plants by pastoralists in Kashmir Himalaya. *SKUAST J Res* 19(1): 121-128.
- Pradhan S, Mishra S (2018) Ethnoveterinary practice: An alternative treatment approach in contemporary India. *J Pharm Innov* 7(9): 362-365.
- Raikwar A, Maurya P (2015) Ethnoveterinary medicine: in present perspective. *Int J Agric Sc & Vet Res* 3(1): 44-49.
- Nag A, Galav P, Katewa SS (2007) Indigenous animal healthcare practices from Udaipur district, Rajasthan, India. *Indian J Tradit Knowl*. 6(4): 583-588.
- Rajakumar N, Shivanna MB (2012) Traditional veterinary healthcare practices in Shimoga district of Karnataka, India. *Indian J Tradit Knowl* 11(2): 283-287.
- Raut B, Shrestha AP (2012) Ethnoveterinary practices in Western Morang, Nepal. *Int J Pharm Sci Res* 3(1): 182-188.
- Sri Balaji N, Chakravarthi VP (2010) Ethnoveterinary practices in India-A Review. *Vet World* 3(12): 549-551.
- Ali J (2007) Livestock sector development and implications for rural poverty alleviation in India. *Livest Res Rural Dev* 19(2): 1-15.
- Confessor MV, Mendonça LE, Mourão JS, Alves RR (2009) Animal to heal animals: ethnoveterinary practices in semiarid region, Northeastern Brazil. *J Ethnobiol Ethnomedi* 5(1): 1-9.
- Jain Sk (1991) Dictionary of Indian folk medicine and ethnobotany. New Delhi: Deep publication.
- Reddy KN, Subbaraju GV, Reddy CS, Raju VS (2006) Ethnoveterinary medicine for treating livestock in Eastern Ghats of Andhra Pradesh. *Indian J Tradit Knowl* 5(3): 368-372.
- Phondani PC, Maikhuri RK, Kala CP (2010) Ethnoveterinary uses of medicinal plants among traditional herbal healers in Alaknanda catchment of Uttarakhand, India. *Afr J Tradit Complement Altern Med* 7(3): 195-206.
- Farooq Z, Iqbal MZ, Mushtaq S, Iqbal Z, Muhammad G, et al. (2008) Ethnoveterinary practices for the treatment of parasite disease in livestock in Cholistan desert (Pakistan). *J Ethnopharmacol* 118(2): 213-219.
- Githiori JB, Hoglund J, Waller PJ (2005) Ethnoveterinary plant preparations as livestock dewormers: practices, popular beliefs, pitfalls and prospects for the future. *Anim Health Res Rev*. 6(1): 91-103.
- Jadeja BA, Odedra NK, Solanki KM, Baraiya NM (2006) Indigenous animal healthcare practices in district Porbandar, Gujarat. *Indian J Tradit Knowl* 5(2): 253-258.
- Masimba ES, Mbiriri DT, Kashangura MT, Mutibvu T (2011) Indigenous practices for the control and treatment of ailments in Zimbabwe's village poultry. *Livest Res Rural Devt*. 23(12): 2-9.
- Kiruba S, Dhas S, Jeeva S (2006) Enumeration of ethnoveterinary plants of Cape Comorin, Tamil Nadu. *Indian J Tradit Knowl*. 5(4): 576-578.