

# Lattices and Finite Machines

## Jesus Castañeda Rivera

Education PhD, Center of Investigation and Teaching of the Mathematics, CIEM Mexico

## Abstract:

A finite machine is a sextuple M = (E, I, O, fE, fO, eo) formed by three non-empty finite sets E (set of states, eO is the initial state), I (set of inputs), O (set of greetings), the transition function and the exit function. The finite machine concept is widely used in computational theories and artificial intelligence. In this work, we will prove the theorem that if M is a finite machine and S (M) is the set of all submachines of M, it is verified that it is a bounded and distributive lattice.

### Biography:

Jesus Castañeda Rivera is a math and educator. Professor principal in Center of investigation and Teaching of the Mathematics (CIEM). The Dr. Castañeda is laurate Mixbaal Prize (2009), UNID medal (2011) and Merit Award Prize of Morelia (2006).

### Publication of speakers:

- 1. Castañeda, J (2020) Piaget and the group of interpropositional transformations. CIEM
- 2. Castañeda, J. (2020) Emotional education and social skills. CIEM



- 3. Castañeda, J. (2019). Education and socio-emotional skills CIEM-PFCE-SEE.
- 4. Castañeda, J. (2019). Higher Mathematics Problem CIEM
- 5. Castañeda, J. (2013). Desargues Configurations and Numerical Dual Affine Spaces. CIEM

3rd Webinar on Artificial Intelligence & Robotics | November 11, 2020 | 6:00PM IST

Citation: Jesus Castañeda Rivera; Lattices and Finite Machines; November 11, 2020; 6:00PM IST