iMedPub Journals http://www.imedpub.com **2022** Vol 5. No. 3

Pheophorbide a isolated from Gelidium amansii inhibits adipogenesis by down-regulating adipogenic transcription factors in 3T3-L1 adipocytes

Ji Sook Han

Pusan National University, Republic of Korea

Abstract

Background: Adipocyte lipid accumulation causes adipocyte hypertrophy and adipose tissue increment, leading to obesity. Thus, this study investigated the anti-adipogenic effects of pheophorbide A isolated from Gelidium amansii in 3T3-L1 adipocytes. Methods: Upon differentiation of 3T3-L1 pre-adipocytes into adipocytes, they were treated with pheophorbide A. Results: Pheophorbide a inhibited triglyceride accumulation and stimulated glycerol release in a dose-dependent manner in 3T3- L1 adipocytes. In addition, pheophorbide A significantly decreased leptin levels in 3T3-L1 adipocytes. Pheophorbide A inhibited adipogenesis via suppression of the expression of adipogenic transcriptional factors including peroxisome proliferator-activated receptor enhancer binding protein sterol regulatory element binding protein 1c (SREBP1c), and fatty acid synthase (FAS). It also induced the expression of phosphorylation of AMP-activated protein kinase (AMPK). Conclusion: Pheophorbide A isolated from Gelidium amansii inhibit adipogenesis by down-regulating adipogenic transcription factors in 3T3-L1 adipocytes. These results suggest that pheophorbide A may be useful for the prevention or treatment of obesity owing to its inhibitory effect on adipogenesis.

Received date: May 05,2022; Accepted date: May 11, 2022; Published date: May 25, 2022

Biography

Ji Sook Han is a Professor and is doing research on developing a bioactive compound from natural plants, especially seaweeds, and investigating its effect for the prevention and treatment of obesity and type 2 diabetes. The active compound containing in seaweeds may be a good anti-diabetic source by improving insulin secretary defect or insulin resistance. It may also be a potential anti-obesity source owing to its inhibitory effect on adipogenesis. She evaluates the effect and mechanism of a bioactive compound isolated from natural plant through in vitro and in vivo study.