25th World Pediatrics Conference

6th International Conference on Pediatric Critical Care and Emergency Medicine

October 18- 20, 2018 Warsaw, Poland

A rare case of linear and whorled nevoid hypermelanosis with global developmental delay, scoliosis and retinal degeneration with dermoscopic features

Deo Adiel Wong

Jose R Reyes Memorial Medical Center, Philippines

Only 40 cases of the rare sporadic linear and whorled nevoid hypermelanosis (LWNH) are described in medical literature worldwide. It is characterized by hyperpigmented, reticulated, streaky and whorled patches along Blaschko's lines, without atrophy or preceding inflammation. It reflects an underlying mosaicism and is occasionally associated with systemic abnormalities. A five year-old female presented in our institution with multiple uniformly hyperpigmented patches, some linear over right upper extremity, both lower extremities and trunk with midline demarcation. Lesions were unchanged and asymptomatic since birth. Dermoscopy showed linear brown streaks with alignment along Blaschko's lines over right upper extremity, reticular over right thigh and brown structure less zones interrupted by dotted perifollicular hypopigmentation over right posterior trunk and anterior thigh. Histopathology revealed basal layer hyperpigmentation, sparse superficial lymphocytic dermal infiltrates, melanocytic hypermelanosis and flat-topped papillomatosis. Hematological and biochemical tests revealed no abnormalities. The patient has decompensated thoracic scoliosis with 2 cm divergence from plumb line. Developmental pediatrics referral revealed assessment of global developmental delay and examination under anesthesia showed peripheral retinal degeneration on both eyes. While this rare occurrence presents a challenging situation and is one reason why data is lacking, affected individuals should be evaluated because of disease associations, including a search for developmental and growth delays, skeletal abnormalities, and other systemic abnormalities. Despite few associations from previous case reports, no promise of chromosomal abnormalities can be found using next generation or whole exome sequencing. Together with the fact that treatments have been tried without much success, makes it a necessity for reporting.

deoadielwong@gmail.com